

Introduction to Std C++ File I/O



C++ Object Oriented Programming
Pei-yih Ting
NTOU CS


• • • • • • • 1

2

Class Hierarchy

- File classes are *inherited* from console classes

```
#include <fstream>
using namespace std;
```



- Why inheritance?

- * All operations for the console classes are available in exactly the same form for file processing
- * More device-independent than their counterparts in C

- Formatted and unformatted I/O

- * Console data is always in formatted form, i.e. ASCII printable integers, strings, floats...
- * File I/O can be formatted or unformatted (raw bytes)

3

Contents

- Class hierarchy
- Basic file I/O operations
- Insertion and extraction operators
- Unformatted file I/O
- Random access file
- String stream processing
- User defined types

Basic File I/O Operations

- Reading characters from a file and printing to the screen

```
char cBuf;
ifstream myFile("testFile"); // open the file implicitly
if (!myFile) { // check for correct opening
    cerr << "File can't be opened";
    return;
}
while (myFile.get(cBuf)) cout << cBuf;
```

& operator
not required

- * `operator !` is overloaded in class `ios` to return false if the failbit or badbit has been set after attempting to open the file
- * `get()` will return false when EOF is reached, otherwise it will return the file stream object

- Explicitly open or close of a file if you plan to reuse the ifstream obj

```
ifstream myFile;
myFile.open("testFile");
...
myFile.close(); // this will also be invoked in inherited destructor
```

4

Basic File I/O Operations (cont'd)

Writing characters to a file

```
ofstream myFile("testFile"); // creates the file with this name
char *string = "test output string";
if (!myFile) {
    cerr << "File can't be created\n";
    return;
}
for (i=0; i<strlen(string); i++)
    myFile.put(string[i]);
```

* You could also put a letter to the console window: cout.put('A');

File modes:

```
ios::out      // open the file and erase the contents, default
ofstream myFile("testFile", ios::out);
ios::app       // append data to the end of the file
ios::nocreate  // open fails if the file doesn't exist
ios::noreplace // open fails if the file exists
```

5

Unformatted File I/O

Unformatted files store data as raw bytes

Using member functions read() and write()

```
int array[SIZE], newArray[SIZE];
ofstream outputFile("binaryData.dat"); // no need to specify "binary"
if (!outputFile) {
    cerr << "File can't be created\n";
    return;
}
for (i=0; i<SIZE; i++) array[i] = i;
outputFile.write((char *)array, sizeof(int)*SIZE);
outputFile.close();
ifstream inputFile("binaryData.dat");
if (!inputFile) {
    cerr << "File can't be opened\n";
    return;
}
inputFile.read((char *)newArray, sizeof(int)*SIZE);
for (i=0; i<SIZE; i++) cout << array[i];
```

7

Insertion and Extraction operators

File objects have the same interface as console objects: >>, <<

```
int number1 = 10;
int number2 = 20;
int number3 = 30;
ofstream myFile("numberData.txt");
if (!myFile) {
    cerr << "File can't be created\n";
    return;
}
myFile << number1 << ' ' << number2 << ' ' << number3 << endl;
```

Output is a text file:
10 20 30

* << and >> are for formatted I/O, the codes converts the internal formats of the built-in types to printed characters

```
int number,
ifstream myFile("numberData.txt");
while (myFile >> number)
    cout << number;
```

* The operator << of ifstream class will return false when EOF is reached

6

Random Access Files

Simultaneous input and output ios::in | ios::out

Absolute file positioning

```
seekg(offset) // seek get, used with input streams, relative to file beginning
seekp(offset) // seek put, used with output streams
```

Relative file positioning functions

```
seekg(offset, ios::beg)
seekg(offset, ios::cur)
seekg(offset, ios::end) // offset must be negative
seekp(offset, ios::beg)
seekp(offset, ios::cur)
seekp(offset, ios::end)
```

tellg() returns the current file position as a long integer

8

Using Random Access File

◊ Ex.

```
int data[SIZE];
fstream fileStream("data.dat", ios::in | ios::out);
if (!fileStream) {
    cerr << "File can't be opened\n";
    return;
}
for (i=0; i<100; i++)
    fileStream.write((char *)data, sizeof(data));
...
index = 70;
fileStream.seekp(sizeof(data)*index);
fileStream.write((char *)data, sizeof(data));
...
index = 20;
fileStream.seekg(sizeof(data)*index);
inputFile.read((char *)newArray, sizeof(int)*SIZE);
```

9

ostrstream

◊ Create a simple formatted string

```
ostrstream outputStringStream;
char      *result;
outputStringStream.precision(18);
outputStringStream << "The value of pi to a precision of 18 is " << pi << ends;
result = outputStringStream.str();
cout << result;
```

Output on the console is:

The value of pi to a precision of 18 is 3.14159265358979324


- ◊ The manipulator **ends** inserts the null terminator
- ◊ The address of the internal buffer is returned by str()
- ◊ Once str() is invoked, no additional data can be added (the buffer is frozen)
- ◊ The client program owns the buffer and is responsible for deleting the buffer
- ◊ The client program can call rdbuf->freeze(0) to unfreeze the buffer

11

String Stream Processing

◊ Counterparts of sscanf(), sprintf() in stdio library

- ★ Take advantage of the console formatting library to construct strings



```
#include <iostream>
using namespace std;
```

10

ostrstream (cont'd)

◊ The following usage causes an error

```
result = outputStringStream.str(); // buffer frozen
outputStringStream << "more data";
if (outputStringStream.fail()) // This will be true
    cout << "failure";
```

String not
suitably
terminated

◊ The data is dynamically allocated within the ostrstream object.

◊ ostrstream has a second overloaded constructor whereby the client supplies a fixed-size character array to be used as the buffer.

```
const int cSize=12;
char buffer[cSize], *result;
ostrstream outputStringStream(buffer, cSize);
outputStringStream.precision(18);
outputStringStream << "The value of pi to a precision of 18 is " << pi << ends;
result = outputStringStream.str();
cout << result << "\n[" << result[11] << "]\n";
if (outputStringStream.fail()) cout << "failure"; // failbit will be set
```

Output:
The value of ¶ú
[f]
failure

12

istrstream

- ❖ An istrstream object contains a character array from which formatted data can be extracted
- ❖ Ex.

```
const int cBufSize = 100;
const int cStrSize = 50;
void main()
{
    char buffer[cBufSize] = "pi is 3.14159";
    istrstream inputStream(buffer, cBufSize);
    char string1[cStrSize], string2[cStrSize];
    double value;
    inputStream >> string1 >> string2 >> value;
    cout << string1 << ' ' << string2 << ' ' << value;
}
```

* Note: istrstream's failbit is NOT turned on till the end of the buffer in VC6.

The null character in the buffer does not terminate the stream.

13

User-defined types

- ❖ Overload the << and >> operators for a class
 - ❖ Ex. Overloaded operators for CComplex
- ```
ostream &operator<<(ostream &os, CComplex number) {
 os << number.m_real << "+" << number.m_imaginary << "i";
 return os;
}
istream &operator>>(istream &is, CComplex &number) {
 char dummy;
 is >> number.m_real >> dummy >> number.m_imaginary >> dummy;
 return is;
}
...
CComplex number(-5, -2);
ofstream outputFile("outputFile.txt");
outputFile << number;
```

Note: An ofstream object is a fstream object.

14